



Director's Message



We manufacture highly sophisticated and refined pouch packing machine and we serve almost all the types of good manufacturers who need packing assistance. With a wide array of machines that we manufacture & export, we make sure that right from the time machine is bought to its final installation, everything is seamless for our customer. We have comprehensive service & warranty manuals which make us a trusted and well-known brand amongst big industrial establishments. We promise a trusted and long term partnership with our customers giving them a fulfilling experience and installation of cost effective machine.

ISHWAR CHAND +91-9811461864



We have been into the industry for several years and we have witnessed packing methods take several turns. We have seen everything going to a 360 degree turn in the way packing was seen before. Packing from being a secondary consideration has drawn itself to the main focal point around which the product revolves. People have started giving due weightage to the type of packing material they use. Our packing machines are completely in tune with the latest packing norms and we have with us 25+ machine variants. So, if you are a manufacturer, we have a packing solution ready for you.

HIMANSHU TIWARI +91-7976678982



Exponentially Growing through cutting throat competition, PACKART EXIM PRIVATE LIMITED constantly endeavors to give its customers a fulfilling experience while they engage themselves in setting up a packaging unit at their place. The semi-automatic and automatic packing machines with us require least amount of labor to functions thereby, making them cost effective and efficient machine types. When we started, we had a lot of research on issues being faced while packing goods. This research made us incorporate all the problem-solving technology that reduces the packing loopholes to minimum giving our clients a seamless buying experience. We hope we keep serving the packing machine industry with the best of technology, expertise and service at all times.



PACKART EXIM is a name of trust that's your packaging partner since ages! It initially laid down its baby steps as M/S Friends Industries in the year 1993 under the brilliant guidance of Mr. Ishwar Chand, Mr. Vaibhav Dwivedi & Mr. Himanshu Tiwari. The manufacturing unit is located in Faridabad, Haryana (India). With an intention to expand beyond markets it is currently serving, the company has rebranded itself under the name 'PACKART EXIM PRIVATE LIMITED'. It is now a manufacturing and export import unit formally set up in the year 2021 but holds an exuberant 28 years of experience & expertise on whereabouts of packing industry. The brainhead behind this every expanding company are three hardworking people who have studied in-depth the intricacies of packaging system that is widely accepted in national & international markets. With clients in India & across the globe, we take pride in announcing a wide range of semi-automatic and automatic pouch packaging machines. Our machines are highly durable, sophisticated & come with extended warranty. Our machines go extreme pressure testing conditions and quality checked before delivery, so as far as reliability is concerned, YOU CAN COUNT ON US & TRUST US with the quality of machine.



Our MISSION

To manufacture & sell high grade, pocket-friendly, durable & technically sound packing machinery to clients in national & international market. Not just this, we have an undying mission of incorporating latest upgradations in machines & giving our buyers the appropriate consultancy on installing the packing machine that brings in maximum value to them.

Our VISION

We envision to serve national & international packaging requirement and to be listed as the top 10 manufacturers of packing machinery & apparatus across globe.



- If you are setting up your own manufacturing and packing unit, maybe you need PACKART'S sophisticated, quality checked & high graded packing machines.
- If you are running too high on outsourcing packaging requirement, you can set up your own packing unit in house and make use of economies of scale.
- If your current machinery has gone obsolete and are not matching the latest packing norms, you can replace I with PACKART'S semi-automatic & automatic pouch packaging machine.
- If your cost of in-house packaging is far too exceeding the estimated cost of production, you will be happy to know that at Packart, we use highly polished technology that consumes less power and packs in more quantity than any other packing apparatus.





100+ Fabrication & Machinery Expert





Our buyers are our permanent clients whom we never leave. They have reported over 50% more efficiency after installing our packing machines. That's such a matter of pride & we have a huge buyer family and earned trust because we are:

- 24*7 Available
- Professional Manufacturers
- Buyer-centered
- Budget-Friendly
- Transparent Pricing
- Ease of Ordering







We have delivered our packing machines to clients who are market leaders in their specific area. Here are a few to mention.



















AK FOOD PRODUCTS
Tasty Funda









AUTOMATIC COLLAR TYPE CUP FILLER MACHINE WITH PLC

Applications

Highly Suitable For: - Rice. Pulses. Frymes. Kurkure. Bio-Fertilizer, Namkeen. Tea. Detergent Powder. Salt. Sugar. Puff And Other Similar Products.

Sealing Types	Central seal with constant heat		
Central Fin Seal	10mm. to 12mm.		
Packing Size	(Length)	100 to 300 mm	
	(Film Width)	220 to 500 mm	
Packing Speed	15 to 60 pouches/ Minutes	15 to 60 pouches/ Minutes	
Packing Range	5 - 20 (gm), 20 - 50 (gm), 50 - 500 (gm), 100gm - 1kg,		
	500gm - 2kg 2.5kg, 5 - 10	(kg)	
Types Of Filler	Cup Filler, Auger Filler, or Weigh Filler		
Packing Material	Any heat sealable laminated films.		
Power Consumption	4 KVA, AC, single phase/three phase.		
Compressed Air Req	8 CFM @6kg/cm ²		
Dimension / Wt.	L: 2100, W: 1000, H: 2200 (mm)/500 kgs		

PE-CAF 102



AUTOMATIC COLLAR TYPE AUGER FILLER WITH SERVO BASED MACHINE

Applications

Highly Suitable For: - Spices Powder. Mehandi Powder. Besan. Maida. Detergent Powder. Pesticides Powder. And Other Similar Product.

Sealing Types	Central seal with constant heat		
Central Fin Seal	10mm. to 12mm.		
Packing Size	(Length)	100 to 300 mm	
	(Film Width)	220 to 500 mm	
Packing Speed	15 to 90 pouches/ Minutes	15 to 90 pouches/ Minutes	
Packing Range	10gms to 1kg, 1kg to 2kg, 5kg to 10kg		
Types Of Filler	Auger Filler		
Packing Material	Any heat sealable laminated films.		
Power Consumption	4 KVA, AC, three phase / single phase		
Compressed Air Req	6 CFM @4kg/cm ²		
Dimension / Wt.	L: 2100, W: 700, H: 1690 (mm)/600 kgs		





AUTOMATIC COLLAR TYPE WEIGH FILLER MACHINE

Applications

Highly Suitable For:- Kurkure & Potato Chips, Dry-Fruits, Chiwada, Namkeen, Dry fruits, Pulses, Grains, Tea, Sugar, Seeds, Soya, Etc.

Type of Filler	Weigh Filler
Control	PLC Controlled
Mode of Operation	Pneumatic
Filling Speed	1000 to 4000 pouches/ Hr (depending upon the size)
Filling Capacity (Range)	5 gms. to 10 kgs
Packing Material	Any heat sealable laminated films.
Power Requirement	220V single Phase Or 420V 3 Phase
Compressed Air Req	6 CFM @4kg/cm ²
Variety of Models	5-100(g), 20-250(g), 50-500(g), 200-1000(g), 1-5(kg), 2-10(kg)
Dimension	L: 1200, W: 1000, H 2550(mm)

PE-MHCW 104



MULTI HEAD COMBINATION WEIGHER

Applications

Highly Suitable For :- Kurkure & Potato Chips, Farsan, Chiwda, Namkeen, Dry Fruits, Pulses, Grains, Tea, Sugar, Seeds, Frozen Cut Vegetable, Etc.

Control	PLC controlled	
Mode of Operation	Pneumatic	
Filling Speed	1000 to 4000 Pouches/hr (depending upon the size)	
Filling Capacity (Range)	10g to 1kg	
Packing Material	Any heat sealable laminated films	
Power Consumption	420V AC three Phase. 50Hz	
Compressed Air Req	6 CFM @4kg/cm ²	
Reel Core Diameter	70mm to 76mm, Max Weight 50g 200g - 1kg, 1kg - 5kg, 2kg - 10kg	40 to 300 mm 60 to 400 mm
Dimension	W-1800, B-1800, M-3350(mm)	





HORIZONTAL FLOW WRAP MACHINE

Applications

Highly Suitable For :- Biscuits. Chocolate. Soaps, Ball Bearings. Syringes. Toys And Any Other Rounded. Scua-e Shape Of Solid Products.

Sealing Types	Pillow type continues.
Packing Speed	40 - 200 packets per minute
	(depending upon the size)
Packing Size	W: 90 - 450(mm), H: 10 - 100(mm), L: 100-350(mm)
Packing Material	Any heat sealable laminated films
Motor	1HP 220VAC, single phase
Header Load	(200Watts x 2No). (200Watts x 2No)
Power Load	3kw., AC, three phase /single phase
Dimension	L: 3560. W: 1350, H: 1730 (mm)
Net Wt. Of Machine	600 Kgs (Approx)





CANDY PILLOW PACK MACHINE

Applications

Highly Suitable For:- Sweet Candy, Chewing-Gum, Chocolate, Sugar Cubes, Ayurvedic, Candy, Etc.

Sealing Types	Central sealing
Packing Speed	300 to 600 pouches per minute (depending upon the packaging object)
Wrapping Range	L: 22-36, W: 13-18, T: 6-16(mm)
Wrapping Material	Any heat sealable laminated films. paper
Motor	1HP 220V AC, single Phase
Header Load	110V, (100W x 8No.), 230V, (173W x 2No.)
Power Load	3Kw, AC, three phase / single phase
Dimensions	L: 1800, W: 1000, H: 1360(mm)
Net Wt. Of Machine	600 Kgs (Approx)





AUTOMATIC PNEUMATIC AUGER FILLER

Applications

Highly Suitable For :- Spices Powder. Mehandi Powder. Glucose Powder. Besan, Meda. Ors Powder Etc.

Sealing Types	3 Side Seal / 4 Side Seal / Center Sealing		
Packing Size	(Length)	40 to 300 mm	
	(Film Width)	50 to 400 mm	
Packing Speed	15 to 60 pouches / Minute	15 to 60 pouches / Minutes	
	(Depending upon the Size)		
Packing Range	10 - 50 gm, 50 - 500 gm, 100 gm - 1kg		
Packing Material	Any heat sealable laminated films.		
Power Consumption	3 kw three phase / single phase.		
Compressed Air Req	6 CFM @4kg/cm ²		
Dimension / Wt.	L:1000, W: 1000, H:2300 (mm) / 600 kgs.		





AUTOMATIC PNEUMATIC LIQUID FILL AND SEAL MACHINE

Applications

Highly Suitable For :-Liquids, Paste, Tomato Ketchup, Wine, Shampoo, Jam, Soya Milk, Pharmaceutical Liquids, Liquid fertilizers, Mouthwash, Mayonnaise, Sanitizers etc.

Sealing Types	3 Side Seal / 4 Side Seal / Center Sealing		
Packing Size	(Length)	40 to 200 mm	
Packing Speed	(Film Width) 60 to 350 mm 40 to 90 pouches / Minutes		
Packing Range	(Depending upon the Size) 5 - 20, 20-50,50 - 100, 100 - 250 (ml)		
Packing Material	Any heat sealable laminated films.		
Motors	1/2 HP., 220V AC, Single P	1/2 HP., 220V AC, Single Phase	
Power Consumption	2 kw Maximum		
Dimension / Wt.	L:750, W: 550, H: 1800 (mm) / 400 kgs. approx.		





AUTOMATIC PNEUMATIC MACHINE

Applications

Highly Suitable For:- Various Namkeen, Kurkure, Snacks, Tea, Pulses, Detergent, Salt, Sugar, Spices Etc.

Sealing Types	3 Side Seal / 4 Side Seal / Center Sealing	
Packing Size	(Length) (Film Width)	40 to 300 mm 50 to 400 mm
Packing Speed	15 to 60 pouches / Minutes (Depending upon the Size)	
Packing Range	10 to 500 gms	
Packing Material	Any heat sealable laminated films.	
Power Consumption	3 kw three phase / single phase.	
Compressed Air Req	6 CFM @4kg/cm ²	
Dimension / Wt.	L:1000, W: 1000, H:2300 (mm) / 600 kgs.	







AUTOMATIC FORM-FILL & SEAL MACHINE

Applications

Highly Suitable For:- Turmeric Powder, Spices, Chillies Powder, Mehandi Powder, Glucose Powder, Ors Powder, Baby Foods, Kurkure, Namkeen, Granules, Tea, Coffee, Dhana Dal, Tablets, (Pharmaceuticals), Etc.

Sealing Types	3 Side Seal / 4 Side Seal / Center Sealing	
Packing Size	(Length) (Film Width)	40 to 300 mm 60 to 400 mm
Packing Speed	15 to 60 pouches / Minutes (Depending upon the Size)	
Packing Range	5-20, 20-50, 50 - 100, 100-250, 250 - 500 gms	
Packing Material	Any heat sealable laminated films.	
Motors	1/2 HP., 220V AC, 50Hz, Single Phase	
Power Consumption	2 kw Single Phase	
Dimension / Wt.	L:800, W: 610, H: 1900 (mm) / 400 kgs.	





AUTOMATIC RUSK PACKING MACHINE

Applications

Highly Suitable For:- Rusk Packing Machine That Is Highly Acclaimed For The Unbeatable Features It Possesses. The Machine Is Available For Packing Rusk In 1,2 And 3 Lines.

Feeding Style	Auto Feeder
Sealing Style	Pillow Type Continues
Packing material	Any head sealable laminated films
Packing Speed	20 – 35 Packets/minutes.
Power Consumption	25 Kw, with AC Drive, Single Phase
Maximum Film	L: 150 to 350 (mm), W:180 to 550 (mm), H:50 to 120 (mm).
Motor	11-1P., 220V AC, 50Hz, Single Phase
Dimension/ wt.	L :3750, W: 1500. H 1000 (mm)/950 kgs (Approx).



PE-LC 112



LINED CARTON MACHINE

Applications

Highly Suitable For:-Detergent, Coffee, Tea, Spices, Glucose Powder, And Other Dry Products.

Stations	22 Stations	
Packing Speed	48 - 50 carton/minutes (depends upon product and pack size)	
Packing Range	15 gms -1000 gms (depends on product density)	
Types Of Filler	Servo filler. cup filler. multi head weigher as per customer requiremet	
Packing Material	Duplex carton with heat sealable liner attached inside	
Power Consumption	8 Kw (depending upon equipment configuration)	
Motor	3 HP.415V. three phase 1440 RPM	
Dimension / Wt.	L: 4267.W: 2133.H: 2438 (mm) / 2000 kgs	
Carton Size	L: 60 w 200 (mm), W:22 to 108 (mm). L+W:	
	94 to 285 (mm) H: 83 to 250 (mm)	







MULTI TRACK MACHINE

Applications

Highly Suitable For:- Pan Masala, Tabaccu, Lal Jeera, Coffee Powder, Detergent, Spices, And Any Type of Liuquid And paste Products.

Sealing Types	Four Side Seal
Packing Speed	60 Strokes/Min (depending upon pouch width & product dencity)
Packing Range	2 gm to 200 gm
Types Of Filler	Auger filler/Cup filler
No. Of Tracks	42/8 (depends upon pouch width)
Roll Diameter	400 to 800 (mm)
Contact Parts	food grade stainless steel 304/306
Power Consumption	6 Kw apporx.
Electricity Supply	440V three phase 50Hz.
Dimension / Wt.	L:400,W:600, H:2760 (mm) / 1400 kgs.





AUTOMATIC CUTTING PORTIONING AND SHAPING MACHINE

Applications

Highly Suitable For :- Rasgulla, Chamcham, Peda, Rasmalai Any Other Type Of Dough Cutting & Shaping

Machine Body Material	SS304
Automation Grade	Automatic
	(depending upon the size)
Power Consumption	1 Kw
Speed	120 balls/ minute
Ball Weight	2 gm to 50gm
Design Type	Customized
Motor	1 Kw
Dimension	L:2600, W: 800, H: 1000 (mm)
Electricity Supply	220V, 50Hz, single phase



OUR MACHINES

We sell all kinds of packing machinery & apparatus. You name it & we have it ready for you.

Packaging Machine | Pneumatic Machine | Multi-head weigher Machine

Candy pillow pack Machine | Carton filling Machine | Flow Wrap Machine

Collar Type filler Machine & more....

PACKART EXIM PRIVATE LIMITED

Website: www.packartexim.com Email id: info@packartexim.com

Add: Plot No. 31, Friends Colony, Sector - 20, Old Faridabad, Haryana - 121002